


II. AMENDMENT TO THE CLAIMS

**COMPLETE LIST OF CLAIMS THAT ARE OR HAVE BEEN BEFORE THE
OFFICE AFTER ENTRANCE OF THE AMENDMENTS MADE HEREIN**

(See next page)

Claim 1: **(Currently amended)** A compound of formula (I) :




~~their derivatives, their analogs,~~ their tautomeric forms, their stereoisomers, their pharmaceutically acceptable salts, their pharmaceutically acceptable solvates, wherein one or more groups R^1 , R^2 , R^3 , R^4 may be same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C₁-C₁₂)alkyl, linear or branched (C₂-C₁₂)alkenyl, (C₃-C₇)cycloalkyl, (C₃-C₇)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C₁-C₁₂)alkoxy, cyclo(C₃-C₇)alkoxy, aryl, aryloxy, aralkyl, ar(C₁-C₁₂)alkoxy, heterocyclyl, heteroaryl, heterocyclyl(C₁-C₁₂)alkyl, heteroar(C₁-C₁₂)alkyl, heteroaryloxy, heteroar(C₁-C₁₂)alkoxy, heterocycliloxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxy carbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxy carbonyl, heteroaralkoxycarbonyl, heterocycliloxy carbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C₁-C₁₂)alkylthio, thio(C₁-C₁₂)alkyl, arylthio, (C₁-C₁₂)alkoxycarbonylamino, aryloxy carbonylamino, aralkyloxy carbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and derivatives of carboxylic acids selected from

CONH₂, alkylaminocarbonyl, dialkylaminocarbonyl, arylaminocarbonyl;
aralkylaminocarbonyl; heteroarylaminocarbonyl and heteroaralkylamino carbonyl
groups; heterocyclylaminocarbonyl groups; sulfonic acid and its derivatives selected
from SO₂NH₂, SO₂NHMe, SO₂NMe₂, SO₂NHCF₃, SO₂NHCO(C₁-C₆)alkyl,
SO₂NHCOaryl groups, phosphonic acid and its derivatives selected from P(O)(OH)₂,
P(O)(O C₁-C₆ alkyl)₂, P(O)(O aryl)₂, P(O)(OH) (O C₁-C₆ alkyl) groups; or the
adjacent groups R² and R³ together may form a five or a six membered ring,
optionally containing one or more double bonds and optionally containing one or
more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8; W
represents O, S or NR⁹ where R⁹ represents hydrogen, (C₁-C₁₂)alkyl or aryl; Ar
represents a substituted or unsubstituted divalent single or fused aromatic,
heteroaromatic or heterocyclic group; R⁵ and R⁶ represent both hydrogen or together
represent a bond; R⁵ and R⁶ may also represent a hydroxy, (C₁-C₁₂)alkyl, (C₁-
C₁₂)alkoxy, halogen, acyl, substituted or unsubstituted aralkyl group; X represents O
or S; R⁷ represents hydrogen, perfluoro(C₁-C₁₂)alkyl, substituted or unsubstituted
groups selected from (C₁-C₁₂)alkyl, cyclo(C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl,
heteroaryl, heteroar(C₁-C₁₂)alkyl, heterocyclyl, alkoxyalkyl, aryloxyalkyl,
alkoxycarbonyl, aryloxyalkyl, cycloalkyloxyalkyl, alkylaminocarbonyl,
arylaminocarbonyl, acyl groups; Y represents O or S; Z represents oxygen, sulfur or
NR¹⁰, where R¹⁰ represents hydrogen or substituted or unsubstituted groups selected
from (C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, hydroxy(C₁-C₁₂)alkyl, amino(C₁-C₁₂)alkyl,
heteroaryl, heteroar(C₁-C₁₂)alkyl groups; R⁸ represents hydrogen, substituted or
unsubstituted groups selected from (C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, heteroaryl,
heteroar(C₁-C₁₂)alkyl, heterocyclyl, heterocyclylalkyl, hydroxyalkyl, alkoxyalkyl,
alkylaminoalkyl groups; R¹⁰ and R⁸ together may form a 5 or 6 membered substituted
or unsubstituted cyclic ring structure containing carbon atoms or containing one or
more heteroatoms selected from O, N and S.

2. **(Original)** A compound according to claim 1, wherein the substituents on the groups R¹, R², R³ and R⁴ are selected from halogen, hydroxy, formyl, nitro, oxo, thio, or unsubstituted or substituted groups selected from alkyl, cycloalkyl, alkoxy, cycloalkoxy, aryl, aralkyl, aralkoxyalkyl, heterocyclyl, heteroaryl, heteroaralkyl, acyl, acyloxy, hydroxyalkyl, amino, acylamino, arylamino, aminoalkyl, aryloxy, aralkoxy, alkylamino, alkoxyalkyl, alkylthio, thioalkyl groups, thioalkyl, alkylsulfenyl, alkylsulfonyl, carboxylic acid or its derivatives, or sulfonic acid or its derivatives or phosphonic acid or its derivatives.
3. **(Original)** A compound according to claim 1, wherein the group Ar represents a phenyl ring.
4. **(Original)** A compound according to claim 1, wherein Ar represents substituted or unsubstituted groups selected from divalent groups selected from phenylene, naphthylene, indenyl, dihydrobenzofuranyl, benzopyranyl, dihydrobenzopyranyl, indolyl, indolinyl, pyridyl, quinolinyl, azaindolyl, benzofuryl, benzothiazolyl or benzoxazolyl groups.
5. **(Original)** A compound according to claim 1, wherein the substituents on the group represented by Ar represents substituted or unsubstituted linear or branched alkyl, alkoxy, thioalkyl, halogen, haloalkyl, haloalkoxy, acyl, amino, acylamino, thio or carboxylic or sulfonic acids and their derivatives, phosphonic acid and their derivatives.
6. **(Original)** A compound according to claim 4, wherein the substituents on the group represented by Ar represents substituted or unsubstituted linear or branched alkyl, alkoxy, thioalkyl, halogen, halo alkyl, haloalkoxy, acyl, amino, acylamino, thio or carboxylic or sulfonic acids and their derivatives, phosphonic acid and their derivatives.
7. **(Original)** A compound according to claim 1, wherein the pharmaceutically acceptable salt is a Li, Na, Ca, Mg, lysine, arginine, guanidine and its derivatives, tromethamine,

diethanolamine, choline, ammonium, substituted ammonium salts, or an aluminium salt.

8. **(Original)** A pharmaceutical composition which comprises a compound of formula (1),



as defined in the claim 1 and a pharmaceutically acceptable carrier, diluent, excipients or solvate.

9. **(Original)** A pharmaceutical composition according to claim 8, in the form of a tablet, capsule, powder, syrup, solution or suspension.

10. **(Original)** A pharmaceutical composition according to claim 8, in combination with sulfonyl urea, biguanide, angiotensin II inhibitor, aspirin, α-glycosidase inhibitor, insulin secretagogue, insulin, β-sitosterol inhibitor, 111MG CoA reductase inhibitor, fibrate, nicotinic acid, cholestyramine, cholestipol or probucol, which may be administered together or within such a period as to act synergistically together to a patient in need thereof.

11. **(Original)** A method of reducing plasma glucose, triglycerides, total cholesterol, LDL, VLDL or free fatty acids in the plasma, while optionally elevating HDL cholesterol levels comprises administering a compound of formula (I), as defined in the claim 1 and a pharmaceutically acceptable carrier, diluent, excipients or solvate to a patient in need thereof.

12. **(Original)** A method according to claim 11, wherein the compound of formula (I) is given in combination with HMG CoA reductase inhibitor, fibrate, nicotinic acid, cholestyramine, choiestipol or probucol, which may be administered together or within such a period as to act synergistically together to a patient in need thereof

13. **(Original)** A pharmaceutical composition which comprises, a compound according to claim 7, as an active ingredient and a pharmaceutically acceptable carrier, diluent, excipients or solvate.

14. **(Original)** A pharmaceutical composition which comprises, a compound according to claim 7, in the form of a tablet, capsule, powder, syrup, solution or suspension.

15. **(Original)** A pharmaceutical composition according to claim 7, in combination with sulfonyl urea, biguanide, angiotensin II inhibitor, aspirin, α -glycosidase inhibitor, insulin secretagogue, insulin, β -sitosterol inhibitor, HMG CoA reductase inhibitor, fibrate, nicotinic acid, cholestyramine, cholestipol or probucol, which may be administered together or within such a period as to act synergistically together to a patient in need thereof.

16. **(Original)** A method of reducing blood glucose, triglycerides, cholesterol, or free fatty acids in the plasma, comprising administering a compound as defined in the claim 7 and a pharmaceutically acceptable carrier, diluent or excipients or solvate to a patient in need thereof.

17. **(Original)** A method according to claim 16, wherein the compound of formula (I) is given in combination with HMG CoA reductase inhibitor, fibrate, nicotinic acid,

cholestyramine, cholestipol or probucol, which may be administered together or within such a period as to act synergistically together to a patient in need thereof

18. **(Currently amended)** A method of ~~preventing or~~ treating diseases caused by hyperlipidaemia, hypercholesteremia, hyperglycemia, obesity, impaired glucose intolerance, leptin resistance, insulin resistance, diabetic complications, comprising administering an effective, non-toxic amount of compound of formula (1) as defined in claim 1 to a patient in need thereof.

19. **(Currently amended)** The method according to claim 18, wherein the complication is type 2 diabetes, impaired glucose tolerance, dyslipidaemia, hypertension, obesity, atherosclerosis, hyperlipidaemia, coronary artery disease, cardiovascular disorders, renal diseases, microalbuminuria, glomerulonephritis, glomerulosclerosis, nephrotic syndrome, hypertensive nephrosclerosis, diabetic retinopathy, diabetic nephropathy, endothelial cell dysfunction, psoriasis, polycystic ovarian syndrome, dementia, end-stage renal disease, osteoporosis, inflammatory bowel diseases, myotonic dystrophy, pancreatitis, arteriosclerosis, or xanthoma ~~or~~ ~~cancer~~.

20. **(Original)** A method of preventing or treating diseases caused by like hyperlipidaemia, hypercholesteremia, hyperglycemia, obesity, impaired glucose intolerance, leptin resistance, insulin resistance or the diseases in which insulin resistance is the underlying pathophysiological mechanism, treating diabetic complications, comprising administering an effective, non-toxic amount of compound of formula (I) as defined in claim 1 and a pharmaceutically acceptable carrier, diluent, excipients or solvate.

21. **(Original)** The method according to claim 20, wherein the disease is type 2 diabetes, impaired glucose tolerance, dyslipidaemia, hypertension, obesity,

atherosclerosis, hyperlipidemia, coronary artery disease, cardiovascular disorders, renal diseases, microalbuminuria, glomerulonephritis, glomerulosclerosis, nephrotic syndrome, hypertensive nephrosclerosis, diabetic retinopathy, diabetic nephropathy, endothelial cell dysfunction, psoriasis, polycystic ovarian syndrome (PCOS), dementia, end-stage renal disease, osteoporosis, inflammatory bowel diseases, myotonic dystrophy, pancreatitis, arteriosclerosis, xanthoma or cancer.

22. **(Original)** A compound according to claim 1 which is selected from:

- (±) Ethyl 3-{4-[2-(pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(2,5-dimethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(2,5-dimethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(2,5-dimethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(2-ethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(2-ethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(2-ethylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;

- (±) Ethyl 3 -{4-[2-(2-ethyl-5-methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(2-ethyl-5 -methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(2-ethyl-5-methylpyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(5-methyl-2-propylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(5 -methyl-2-propylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(5-methyl-2-propylpyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(5 -methyl-2-n-butylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3- {4-[2-(5-methyl-2-n-butylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2- n-butylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -(4-f 2-(5-methyl-2-phenylpyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3- {4-[2-(5 -methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(5-methyl-3 -phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3- {4-[2-(5-methyl-3-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(5-methyl-3 -phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(5-methyl-2-phenylpyrrol- I -yl)ethoxy]phenyl} -2-methoxypropanoate;
- (+) Ethyl 3- {4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-methoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-methoxypropanoate;
- (±) Methyl 3 -{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-methoxypropanoate;
- (+) Methyl 3 -{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-methoxypropanoate;
- (-) Methyl 3-{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-methoxypropanoate;
- (±) Ethyl 3- {4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
- (+) Ethyl 3- {4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
- (-) Ethyl 3- {4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
- (±) Propyl 3 -{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
- (+) Propyl 3 -{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
- (-) Propyl 3 -{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoate;
- (±) Ethyl 3 -{4-[2-(5-methyl-2-(4-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-

- ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(5-methyl-2-(3-methylphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(5-methyl-2-(3-methylphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2-(3-methylphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(5-methyl-2-(2-methylphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate,
- (+) Ethyl 3-{4-[2-(5-methyl-2-(2-methylphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2-(2-methylphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate,
- (-) Ethyl 3-{4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (±) Ethyl 3-{4-[2-(5-methyl-2-(4-bromophenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (+) Ethyl 3-{4-[2-(5-methyl-2-(4-bromophenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2-(4-bromophenyl)pyrrol-1-yl)ethoxy]phenyl}-2-

- ethoxypropanoate;
- (±) Ethyl 3- {4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3- {4-{2-(5 -methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3- {4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(4-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(4-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(4-methyl-2-phenylpyrrol- 1-yl)ethoxy}phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3- {4-[2-(5-methyl-2,3-diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(5-methyl-2,3-diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5-methyl-2,3-diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(2-isopropyl-5 -methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(2-isopropyl-5-methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(2-isopropyl-5 -methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(2,5-diisopropylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3- {4-[2-(2,5-diisopropylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- {4-[2-(2,5 -diisopropylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -{4-[2-(5-isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3- {4-[2-(5 -isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3-{4-[2-(5 -isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;

- (±) Ethyl 3- {4-[2-(2,5-diisopropyl-3 -phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (+) Ethyl 3 -{4-[2-(2,5-diisopropyl-3-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (-) Ethyl 3- (4- [2-(2,5 -diisopropyl-3 -phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
- (±) Ethyl 3 -(4- {2-f5-isopropyl-2-(4-methoxyphenyl)pyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (+) Ethyl 3 -(4- {2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol- 1 -yl]ethoxy} phenyl)-2-ethoxypropanoate;
- (-) Ethyl 3 -(4- {2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol- I -yl]ethoxy}phenyl)- 2-ethoxypropanoate;
- (±) Ethyl 3 -(4- {2-[2-(4-fluorophenyl)-5-isopropylpyrrol- 1 -yl]ethoxy} phenyl)- 2-ethoxypropanoate;
- (+) Ethyl 3 -(4- {2-[2-(4-fluorophenyl)-5 -isopropylpyrrol- 1 -yl]ethoxy} phenyl)- 2-ethoxypropanoate;
- (-) Ethyl 3-(4- {2-[2-(4-fluorophenyl)-5-isopropylpyrrol- 1 -yl]-ethoxy} phenyl)- 2-ethoxypropanoate;
- (±) Ethyl 3 -(4~{2~j~2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol- 1 -yl]ethoxy}phenyl)- 2-ethoxy propanoate;
- (+) Ethyl 3 -(4- {2-[2-(4-fluorophenyl)-5 -isopropyl-3-phenylpyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxy propanoate;
- (-) Ethyl 3-(4- {2-[2-(4-fluorophenyl)-5-isopropyl-3 -phenylpyrrol- 1 -yl]ethoxy} phenyl)-2-ethoxy propanoate;
- (±) Ethyl 3 -(4-{2-[2-(4-fluorophenyl)-5 -isopropyl-4-phenylcarbamoylpyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (+) Ethyl 3 -(4- {2-[2-(4-fluorophenyl)-5 -isopropyl-4-phenylcarbamoylpyrrol- 1 -yl]ethoxy}phenyl)-2-ethoxypropanoate;

- (-) Ethyl 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (±) Ethyl 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (+) Ethyl 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (-) Ethyl 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (±) Ethyl 3-(4-{3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy}phenyl)-2-ethoxypropanoate;
- (+) Ethyl 3-(4-{3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy}phenyl)-2-ethoxypropanoate;
- (-) Ethyl 3-(4-{3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy}phenyl)-2-ethoxypropanoate;
- (±) Ethyl 3-(4-{2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (+) Ethyl 3-(4-{2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (-) Ethyl 3-(4-{2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (±) Ethyl 3-(4-[2-[3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl]ethoxy]phenyl)-2-ethoxypropanoate;
- (+) Ethyl 3-(4-{2-[3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (-) Ethyl 3-(4-{2-[3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoate;
- (±) Ethyl 3-(4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoate;
- (+) Ethyl 3-(4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoate;

- (-) Ethyl 3- {4-[2-(2-methylthiopyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoate;
Ethyl (E/Z) 3- {4-[2-(5 -methyl-2-phenyl-pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxyprop-2-
enenoate;
Ethyl (Z) 3-{4-[2-(5-methyl-2-phenyl-pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxyprop-2-
enenoate;
Ethyl (E) 3-{4-[2-(5-methyl-2-phenyl-pyrrol-1 -yl)ethoxy]phenyl} -2-ethoxyprop-2-enenoate;
[(2R)-N(1 S)]-2-Ethoxy-3-{4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -N-
(2-hydroxy- 1-phenylethyl)propanamide
[(2S)-N(1 S)]-2-Ethoxy-3 - (4-[2-(5-methyl-2-phenylpyrrol- I -yl)ethoxy]phenyl} -N-(2-
hydroxy- 1-phenylethyl) propanamide
(±) 3-{4-[2-(~pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically
acceptable salts;
(+) 3 -(4-[2-(pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically
acceptable salts;
(-) 3-(4-[2-(pyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically
acceptable salts;
(±) 3- (4-[2-(2,5-dimethylpyrrol-1 -yl)ethox]lphenyl} -2-ethoxypropanoic acid and its
pharmaceutically acceptable salts;
(+) 3-(4-[2-(2,5-dimethylpyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its
pharmaceutically acceptable salts;
(-) 3- (4-[2-(2,5-dimethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its
phannaceutically acceptable salts;
(±) 3-(4-[2-(2,4-dimethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its
pharmaceutically acceptable salts;
(+) 3-(4-[2-(2,4-dimethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its
phannaceutically acceptable salts;
(-) 3- (4-[2-(2,4-dimethylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its
pharmaceutically acceptable salts;

- (±) 3-(4-[2-(2-ethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-[2-(2-ethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(2-ethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-[2-(5-methyl-2-propylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-[2-(5-methyl-2-propylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

- (-) 3-(4-[2-(5-methyl-2-propylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-[2-(5-methyl-2-n-butylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic-acid and its pharmaceutically acceptable salts;
- (+) 3- (4-[2-(5 -methyl-2-n--butylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(5-methyl-2-n-butylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

- (±) 3-(4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+)3-(4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-)3-(4-[2-(5-methyl-2-phenylpyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±)3-(4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-methoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3- (4-[2-(5-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-methoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(5 -methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-methoxypropanoic acid and its pharmaceutically acceptable salts;
- (±)3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-propoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol.. 1 -yl)ethoxy]phenyl} -2-propoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(5-methyl-3-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2- ethoxypropanoic acid and its

pharmaceutically acceptable salts;

(+) 3- (4-[2-(5-methyl-3 -phenylpyrrol- 1 -yl)ethoxy]phenyl} -2- ethoxypropanoic acid and its pharmaceutically acceptable salts;

(-) 3-(4-[2-(5-methyl-3 -phenylpyrrol- 1 -yl)ethoxy]phenyl) -2- ethoxypropanoic acid and its pharmaceutically acceptable salts;

(±) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(+) 3-(4-[2-(5 -methyl-2-(4-methylphenyl)pyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(-) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(±) 3- (4-[2-(5-methyl-2-(3-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(+) 3- (4 -[2-(5-methyl-2-(3-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(-) 3- (4-[2-(5-methyl-2-(3 -methylphenyl)pyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(±) 3 -(4-[2-(5-methyl-2-(2-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(+) 3 -(4-[2-(5 -methyl-2-(2-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(-) 3- (4- [2-(5-methyl-2-(2-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(±) 3- (4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(+) 3- (4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

(-) 3- (4-[2-(5 -methyl-2-(4-methoxyphenyl)pyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoic

- acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(5-methyl-2-(4-bromophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3- (4-[2-(5-methyl-2-(4-bromophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3- (4-[2-(5-methyl-2-(4-bromophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3- (4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3- (4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3- (4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3- (4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(4-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2- ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- {4-[2-(4-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2- ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3- {4-[2-(4-methyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2- ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- {4-[2-(5-methyl-2,3-diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

- (+) 3- {4-[2-(5-methyl-2,3 -diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3- (4-[2-(5-methyl-2,3 -diphenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3- (4-[2-(2-isopropyl-5 -methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic and its pharmaceutically acceptable salts;
- (+) 3- (4-[2-(2-isopropyl-5 -methylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic and its pharmaceutically acceptable salts;
- (-) 3 -(4-[2-(2-isopropyl-5-methylpyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoic and its pharmaceutically acceptable salts;
- (±) 3-{4-[2-(2,5-diisopropylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-{4-[2-(2,5 -diisopropylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-{4-[2-(2,5-diisopropylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-{4-[2-(5-isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-{4-[2-(5-isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-{4-[2-(5-isopropyl-2-phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-[2-(2,5-diisopropyl-3 -phenylpyrrol-1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-[2-(2,5-diisopropyl-3 -phenylpyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(2,5-diisopropyl-3-phenylpyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoic acid

and its pharmaceutically acceptable salts;

- (±) 3-{4-[2-(5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-{4-[2-(5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-{4-[2-(5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;

- (+) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-(3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-(3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-(4-(2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-[4-[2-(3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl]-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-[4-[2-(3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl]-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-[4-[2-(3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl]-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (±) 3-{4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (+) 3-{4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its pharmaceutically acceptable salts;
- (-) 3-(4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its

pharmaceutically acceptable salts;

(E/Z) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxyprop-2-enoic acid and its pharmaceutically acceptable salts;

(E) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxyprop-2-enoic acid and its pharmaceutically acceptable salts; and

(Z) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxyprop-2-enoic acid and its pharmaceutically acceptable salts.

Claim 23. (Original) A compound according to claim 22, which is selected from:

(±) 3-(4-[2-(pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(+) 3-(4-[2-(pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(-) 3-(4-[2-(pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(±) 3-(4-[2-(2,5-dimethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(±) 3-(4-[2-(2,5-dimethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(-) 3-(4-[2-(2,5-dimethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(±) 3-(4-[2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na,

- K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3- (4-[2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3- (4- [2-(2,4-dimethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3- (4-[2-(2-ethylpyrrol- 1 -yl)ethoxy]phenyl) -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3- (4-[2-(2-ethylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(2-ethylpyrrol- 1 -yl)ethoxy]phenyl) -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl) -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+)3-(4-[2-(2-formylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-)3-(4-[2-(2 -formylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl) -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium,

substituted ammonium salts or aluminium salts;

- (+) 3-(4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl) -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(2-acetylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(2-ethyl-5-methylpyrrol-1-yl)ethoxy]phenyl) -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-propylpyrrol-1-yl)ethoxy]phenyl) -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-propylpyrrol-1-yl)ethoxy]phenyl) -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-propylpyrrol-1-yl)ethoxy]phenyl) -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-n-butylpyrrol-1-yl)ethoxy]phenyl) -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline,

ammonium, substituted ammonium salts or aluminium salts;

- (+) 3- (4-[2-(5-methyl-2-n-butylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-n-butylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-methoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3- (4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-methoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-methoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3- (4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl} -2-propoxypropanoic

- acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine,
diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-propoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine,
diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-propoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine,
diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline,
ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline,
ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(5-methyl-3-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine,
diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine,
tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine,
diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(5-methyl-2-(4-methylphenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine,

- diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-[2-(5-methyl-2-(3-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5-methyl-2-(3-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-(3-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3- (4-[2-(5-methyl-2-(2-methylphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3- (4-[2-(5-methyl-2-(2-methylphenyl)pyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-(2-methylphenyl)pyrrol- I -yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol- I -yl)ethoxy]phenyl} -2-ethoxyprvp~anoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-[2-(5 -methyl-2-(4-methoxyphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-[2-(5-methyl-2-(4-methoxyphenyl)pyrrol- 1 -yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine,

tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(±) 3-(4-[2-(5-methyl-2-(4-bromophenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(+) 3-{4-[2-(5-methyl-2-(4-bromophenyl)pyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(-) 3-(4-[2-(5-methyl-2-(4-bromophenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(±) 3-(4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(+) 3-(4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(-) 3-(4-[2-(5-methyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(±) 3-(4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

(+) 3-(4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol-1-yl)ethoxy]phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

- (-) 3-{4-[2-(5-methyl-2-(4-chlorophenyl)pyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(4-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(4-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(4-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(5-methyl-2,3-diphenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(5-methyl-2,3-diphenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(5-methyl-2,3-diphenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl]ethoxy]phenyl} -2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts

or aluminium salts;

- (+) 3-{4-[2-(2-isopropyl-5-methylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(2-isopropyl-5-methylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(2,5-diisopropylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(2,5-diisopropylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(2,5-diisopropylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(5-isopropyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(5-isopropyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(5-isopropyl-2-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(2,5-diisopropyl-3-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts

or aluminium salts;

- (+) 3-{4-[2-(2,5-diisopropyl-3-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(2,5-diisopropyl-3-phenylpyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-{2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-{2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-{2-[5-isopropyl-2-(4-methoxyphenyl)pyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic

- acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-(2-[2-(4-fluorophenyl)-5-isopropyl-3-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy}phenyl)-2-ethoxypropanoic acid and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;

- yl]ethoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-{2-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-{3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-{3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4-{3-[2-(4-fluorophenyl)-5-isopropyl-3-phenyl-4-phenylcarbamoylpyrrol-1-yl]propoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-(4-(2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy)phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-(4-{2-[2-(4-fluorophenyl)-5-phenylpyrrol-1-yl]ethoxy} phenyl)-2-ethoxypropanoic

- acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-(4- {2-[2-(4-fluorophenyl)-5-phenylpyrrol- 1 -yl]ethoxy} phenyl)-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-[4-[2-(3 -carboxy-5 -phenyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl]- 2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3 -[4-[2-(3-carboxy-5-phenyl-2-(4-fluorophenyl)pyrrol- 1 -yl)ethoxy]phenyl]- 2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3 -[4-[2-(3-carboxy-5 -phenyl-2-(4-fluorophenyl)pyrrol-1-yl)ethoxy]phenyl]- 2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (±) 3-{4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (+) 3-{4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (-) 3-{4-[2-(2-methylthiopyrrol-1-yl)ethoxy]phenyl}-2-ethoxypropanoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts;
- (E/Z) 3- {4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxyprop-2-enoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine,

- choline, ammonium, substituted ammonium salts or aluminium salts;
- (E) 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxyprop-2-enoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts; and
- (Z) 3-{4-[2-(5-methyl-2-phenylpyrrol-1-yl)ethoxy]phenyl} -2-ethoxyprop-2-enoic acid, and its Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium salts or aluminium salts.

24. **(Original)** A pharmaceutical composition, which comprises a compound as defined in claim 22, and a pharmaceutically acceptable carrier, diluents or excipients or solvate.
25. **(Original)** A pharmaceutical composition as claimed in claim 24, in the form of a tablet, capsule, powder, syrup, solution or suspension.
26. **(Original)** A pharmaceutical composition, which comprises a compound as defined in claim 23, and a pharmaceutically acceptable carrier, diluents or excipients or solvate.
27. **(Original)** A pharmaceutical composition as claimed in claim 26, in the form of a tablet, capsule, powder, syrup, solution or suspension.
28. **(Original)** A method of reducing plasma glucose, triglycerides, total cholesterol, LDL, VLDL or free fatty acids in the plasma, while optionally elevating HDL cholesterol levels comprises administering a compound of formula (1), as defined in the claim 22 and a pharmaceutically acceptable carrier, diluent, excipients or solvate to a patient in need thereof

29. **(Original)**. A method of reducing plasma glucose, triglycerides, total cholesterol, LDL, VLDL or free fatty acids in the plasma, while optionally elevating L-DL cholesterol levels comprises administering a compound of formula (I), as defined in the claim 23 and a pharmaceutically acceptable carrier, diluent, excipients or solvate to a patient in need thereof.

30. **(Original)**. A method of preventing or treating diseases caused by like hyperlipidaemia, hypercholesteremia, hyperglycemia, obesity, impaired glucose intolerance, leptin resistance, insulin resistance or the diseases

31. **(Currently amended)**. The method according to claim 30, wherein the disease is type 2 diabetes, impaired glucose tolerance, dyslipidemia, hypertension, obesity, atherosclerosis, hyperlipidemia, coronary artery disease, cardiovascular disorders, renal diseases, microalbuminuria, glomerulonephritis, glomerulosclerosis, nephrotic syndrome, hypertensive nephrosclerosis, diabetic retinopathy, diabetic nephropathy, endothelial cell dysfunction, psoriasis, polycystic ovarian syndrome (PCOS), dementia, end-stage renal disease, osteoporosis, inflammatory bowel diseases, myotonic dystrophy, pancreatitis, arteriosclerosis, or xanthoma ~~or cancer~~.

32. **(Original)**. The method according to claim 30, wherein the therapy includes co-administration of compound of formula (I) with sulfonyl urea, biguanide, angiotensin II inhibitor, aspirin, α -glycosidase inhibitor, insulin secretagogue, insulin, β -sitosterol inhibitor, HIVIG CoA reductase inhibitor, fibrate, nicotinic acid, cholestyramine, cholestipol or probucol, which may be administered together or within such a period as to act synergistically together to a patient in need thereof.


33. **(Original)**. A method of preventing or treating diseases in presence of conditions like hyperlipidaemia, hypercholesteremia, hyperglycemia, obesity, impaired glucose intolerance, leptin resistance, insulin resistance or the diseases in which insulin resistance is the underlying pathophysiological mechanism, treating diabetic complications, comprising administering an effective, non-toxic amount of compound of formula (I) as defined in claim 23 to a patient in need thereof.

34. **(Original)**. The method according to claim 33, wherein the disease is type 2 diabetes, impaired glucose tolerance, dyslipidaemia, hypertension, obesity, atherosclerosis, hyperlipidaemia, coronary artery disease, cardiovascular disorders, renal diseases, microalbuminuria, glomerulonephritis, glomerulosclerosis, nephrotic syndrome, hypertensive nephrosclerosis, diabetic retinopathy, diabetic nephropathy, endothelial cell dysfunction, psoriasis, polycystic ovarian syndrome (PCOS), dementia, end-stage renal disease, osteoporosis, inflammatory bowel diseases, myotonic dystrophy, pancreatitis, arteriosclerosis, xanthoma or cancer.

35. **(Original)**. The method according to claim 33, wherein the therapy includes co-administration of compound of formula (I) with sulfonyl urea, biguanide, angiotensin II inhibitor, aspirin, α -glucosidase inhibitor, insulin secretagogue, insulin, β -sitosterol inhibitor, HIVIG CoA reductase inhibitor, fibrate, nicotinic acid, cholestyramine, cholestipol or probucol, which may be administered together or within such a period as to act synergistically together to a patient in need thereof.

36. (Currently amended)


A process for the preparation of a compound of formula (I)



~~their analogs~~, their tautomeric forms, their stereoisomers, their pharmaceutically acceptable salts, their pharmaceutically acceptable solvates, wherein one or more groups R¹, R², R³, R⁴ may be same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C₁-C₁₂)alkyl, linear or branched (C₂-C₁₂)alkenyl, (C₃-C₇)cycloalkyl, (C₃-C₇)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C₁-C₁₂)alkoxy, cyclo(C₃-C₇)alkoxy, aryl, aryloxy, aralkyl, ar(C₁-C₁₂)alkoxy, heterocyclyl, heteroaryl, heterocyclyl(C₁-C₁₂)alkyl, heteroar(C₁-C₁₂)alkyl, heteroaryloxy, heteroar(C₁-C₁₂)alkoxy, heterocyclyoxy, heterocyclylalkoxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxycarbonyl, heteroaralkoxycarbonyl, heterocyclyoxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C₁-C₁₂)alkylthio, thio(C₁-C₁₂)alkyl, arylthio, (C₁-C₁₂)alkoxycarbonylamino, aryloxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and derivatives of carboxylic acids selected from CONH₂, alkylaminocarbonyl, dialkylaminocarbonyl, arylaminocarbonyl, aralkylaminocarbonyl;


heteroarylaminocarbonyl and heteroaralkylamino carbonyl groups; heterocyclylaminocarbonyl groups; sulfonic acid and its derivatives selected from SO₂NH₂, SO₂NHMe, SO₂NMe₂, SO₂NHCF₃, SO₂NHCO(C₁-C₆)alkyl, SO₂NHCOaryl groups, phosphonic acid and its derivatives selected from P(O)(OH)₂, P(O)(O C₁-C₆ alkyl)₂, P(O)(O aryl)₂, P(O)(OH) (O C₁-C₆ alkyl) groups; or the adjacent groups R² and R³ together may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8; W represents O, S or NR⁹ where R⁹ represents hydrogen, (C₁-C₁₂)alkyl or aryl; Ar represents a substituted or unsubstituted divalent single or fused aromatic, heteroaromatic or heterocyclic group; R⁵ and R⁶ represent both hydrogen or together represent a bond; R⁵ and R⁶ may also represent a hydroxy, (C₁-C₁₂)alkyl, (C₁-C₁₂)alkoxy, halogen, acyl, substituted or unsubstituted aralkyl group; X represents O or S; R⁷ represents hydrogen, perfluoro(C₁-C₁₂)alkyl, substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, cyclo(C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl, heterocyclyl, alkoxyalkyl, aryloxyalkyl, alkoxycarbonyl, aryloxy carbonyl, cycloalkyloxy carbonyl, alkylaminocarbonyl, arylaminocarbonyl, acyl groups; Y represents O or S; Z represents oxygen, sulfur or NR¹⁰, where R¹⁰ represents hydrogen or substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, hydroxy(C₁-C₁₂)alkyl, amino(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl groups; R⁸ represents hydrogen, substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl, heterocyclyl, heterocyclylalkyl, hydroxyalkyl, alkoxyalkyl, alkylaminoalkyl groups; R¹⁰ and R⁸ together may form a 5 or 6 membered substituted or unsubstituted cyclic ring structure containing carbon atoms or containing one or more heteroatoms selected from O, N and S which includes one or more of the following methods comprising:

- a. reacting a compound of formula (1a), where all symbols are as defined above,




with a compound of formula (1b) which may be racemic or chiral, where all symbols are as defined earlier to yield a compound of general formula (I);

- b. reacting a compound of formula (1c), ~~as described in claim 40~~ where L^1 represents a leaving group




with a compound of formula (1d) which may be racemic or chiral, where all symbols are as defined earlier to yield a compound of general formula (I);

- c. reacting the compound of formula (1e), ~~as described in claim 42~~




with a compound of general formula (1d) which may be racemic or chiral, where W is particularly O or S and all other symbols are as defined earlier;

- d. reacting a compound of formula (1f),




where all the symbols are as defined earlier with an alcohol of formula (1g) wherein R⁷ and X are as defined earlier, to produce a compound of formula (I), wherein all symbols are as defined earlier and R⁶ represents H;

e. reacting a compound of general formula (1h), as described in claim 38



where all the symbols are as defined earlier, with a compound of formula (1i) which may be chiral or racemic, where R represents (C₁-C₈) alkyl and other symbols are as defined earlier and to afford a compound of formula (I) where R⁵ and R⁶ together form a bond and other symbols are as defined earlier and; and

for reacting a compound of general formula (1h), as described in claim 38




where all the symbols are as defined earlier, with a compound of formula (1i) which may be chiral or racemic, where all the symbols are as defined earlier and R represents (C₁-C₈) alkyl to afford a compound of formula (I) wherein all symbols are

as defined earlier and R⁵ and R⁶ together form a bond which is reduction of the double bond formed together by R⁵ and R⁶.

37. (Canceled)

38. (Original)

The compound compound of formula (1h),




wherein one or more groups R¹, R², R³, R⁴ may be same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C₁-C₁₂)alkyl, linear or branched (C₂-C₁₂)alkenyl, (C₃-C₇)cycloalkyl, (C₃-C₇)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C₁-C₁₂)alkoxy, cyclo(C₃-C₇)alkoxy, aryl, aryloxy, aralkyl, ar(C₁-C₁₂)alkoxy, heterocyclyl, heteroaryl, heterocyclyl(C₁-C₁₂)alkyl, heteroar(C₁-C₁₂)alkyl, heteroaryloxy, heteroar(C₁-C₁₂)alkoxy,

heterocyclloxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxycarbonyl,

heteroaralkoxycarbonyl, heterocyclyloxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C₁-C₁₂)alkylthio, thio(C₁-C₁₂)alkyl, arylthio, (C₁-C₁₂)alkoxycarbonylamino, aryloxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and its derivatives, sulfonic acid and its derivatives, phosphonic acid and its derivatives; or the adjacent groups R² and R³ together may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8; W represents O, S or NR⁹ where R⁹ represents hydrogen, (C₁-C₁₂)alkyl or aryl; Ar represents a substituted or unsubstituted divalent single or fused aromatic, heteroaromatic or heterocyclic group.

39. **(Currently amended)**


A process for the preparation of compound of formula (1h),



wherein one or more groups R^1 , R^2 , R^3 , R^4 may be same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C_1-C_{12}) alkyl, linear or branched (C_2-C_{12}) alkenyl, (C_3-C_7) cycloalkyl, (C_3-C_7) cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C_1-C_{12}) alkoxy, cyclo (C_3-C_7) alkoxy, aryl, aryloxy, aralkyl, ar (C_1-C_{12}) alkoxy, heterocyclyl, heteroaryl, heterocyclyl (C_1-C_{12}) alkyl, heteroar (C_1-C_{12}) alkyl, heteroaryloxy, heteroar (C_1-C_{12}) alkoxy, heterocyclyloxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxycarbonyl, heteroaralkoxycarbonyl, heterocyclyloxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C_1-C_{12}) alkylthio, thio (C_1-C_{12}) alkyl, arylthio, (C_1-C_{12}) alkoxycarbonylamino, aryloxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and its derivatives, sulfonic acid and its derivatives, phosphonic acid and its derivatives; or the adjacent groups R^2 and R^3 together may form a five or a six membered ring, optionally containing one or more double


bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8; W represents O, S or NR⁹ where R⁹ represents hydrogen, (C₁-C₁₂)alkyl or aryl; Ar represents a substituted or unsubstituted divalent single or fused aromatic, heteroaromatic or heterocyclic group, which comprises,

- a. reacting a compound of the general formula (1c) as described in claim 40,



with a compound of general formula (1j), where Ar is as defined earlier;


- b. reacting a compound of the formula (1e) as described in claim 42,



with compound of the formula (1k), where L2 is a halogen atom such as fluorine, chlorine, bromine or iodine and Ar is as defined earlier.

40. (Original)

The intermediate of formula (1c),




wherein one or more groups R^1 , R^2 , R^3 , R^4 may be same or different and represent hydrogen, halogen, haloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted mps selected from linear or branched (C₁-C₁₂)alkyl, linear or branched (C₂-C₁₂)alkenyl, (C₃-C₇)cycloalkyl, (C₃-C₇)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C₁-C₁₂)alkoxy, cyclo(C₃-C₇)alkoxy, aryl, aryloxy, aralkyl, ar(C₁-C₁₂)alkoxy, heterocyclyl, heteroaryl, heterocyclyl(C₃-C₇)alkyl, heteroar(C₁-C₁₂)alkyl, heteroaryloxy, heteroar(C₁-C₁₂)alkoxy, heterocyclyloxy, heterocyclylalkyloxy, acyl, acyloxy, ylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocycloalkoxycarbonyl, heteroaryloxycarbonyl, heteroaralkoxycarbonyl, heterocyclyloxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C₁-C₁₂)alkylthio, thio(C₁-C₁₂)alkyl, arylthio, (C₁-C₁₂)alkoxycarbonylamino, aryloxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino,

alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and its derivatives, sulfonic acid and its derivatives, phosphonic acid and its derivatives; or the adjacent groups R^2 and R^3 together may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8; and L^1 is either a halogen atom such as chlorine, bromine or iodine or a leaving group such as methanesulfonate, trifluoromethanesulfonate and p-toluenesulfonate groups.

41. (Original)


A process for intermediate of formula (1c),



wherein one or more groups R^1 , R^2 , R^3 , R^4 may be same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C_1 - C_{12}) alkyl, linear or branched (C_2 - C_{12}) alkenyl, (C_3 - C_7) cycloalkyl, (C_3 - C_7) cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C_1 - C_{12}) alkoxy, cyclo(C_3 - C_7) alkoxy, aryl, aryloxy, aralkyl, ar(C_1 - C_{12}) alkoxy, heterocyclyl, heteroaryl, heterocyclyl(C_3 - C_7) alkyl, heteroar(C_1 - C_{12}) alkyl, heteroaryloxy, heteroar(C_1 - C_{12}) alkoxy, heterocyclyloxy, heterocyclylalkyloxy, acyl, acyloxy, ylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxy carbonyl, aralkoxy carbonyl, heterocycloalkoxycarbonyl, heteroaryloxy carbonyl, heteroaralkoxy carbonyl, heterocyclyloxy carbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C_1 - C_{12}) alkylthio, thio(C_1 - C_{12}) alkyl, arylthio, (C_1 - C_{12}) alkoxycarbonylamino,


aryloxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and its derivatives, sulfonic acid and its derivatives, phosphonic acid and its derivatives; or the adjacent groups R^2 and R^3 together may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8; and L^1 is either a halogen atom such as chlorine, bromine or iodine or a leaving group such as methanesulfonate, trifluoromethanesulfonate and p-toluenesulfonate groups, which comprises,

- a. reacting the compound of formula (1a), where R^1 , R^2 , R^3 , R^4 are as defined earlier




with a compound of formula (1m) where L^1 is either a halogen atom such as chlorine, bromine or iodine or a leaving group such as methanesulfonate, trifluoromethanesulfonate and p-toluenesulfonate groups and all symbols are as defined earlier, to yield the compound of formula (1c); and

- b. reacting the compound of formula (1n) where R^1 , R^2 , R^3 and R^4 are as defined earlier,



with a compound of formula (1o) where L¹ and L² is either a halogen atom such as chlorine, bromine or iodine or a leaving group such as methanesulfonate, trifluoromethanesulfonate and p-toluenesulfonate groups and n is as defined earlier, to yield the compound of formula (1c).

42. **(Original)** A process to prepare intermediates described in claim 27, and defined by formula (1e),




wherein one or more groups R¹, R², R³, R⁴ may be same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C₁-C₁₂)alkyl, linear or branched (C₂-C₁₂)alkenyl, (C₃-C₇)cycloalkyl, (C₃-

C₇)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C₁-C₁₂)alkoxy, cyclo(C₃-C₇)alkoxy, aryl, aryloxy, aralkyl, ar(C₁-C₁₂)alkoxy, heterocyclyl, heteroaryl, heterocyclyl(C₃-C₇)alkyl, heteroar(C₁-C₁₂)alkyl, heteroaryloxy, heteroar(C₁-C₁₂)alkoxy, heterocyclyloxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocycloalkoxycarbonyl, heteroaryloxycarbonyl, heteroaralkoxycarbonyl, heterocyclyloxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C₁-C₁₂)alkylthio, thio(C₁-C₁₂)alkyl, arylthio, (C₁-C₁₂)alkoxycarbonylamino, aryloxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxylamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and its derivatives, sulfonic acid and its derivatives, phosphonic acid and its derivatives; or the adjacent groups R² and R³ together may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8.


43. (Original)

A process to prepare intermediate of formula (1e)




wherein one or more groups R^1 , R^2 , R^3 , R^4 may be same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C_1-C_{12}) alkyl, linear or branched (C_2-C_{12}) alkenyl, (C_3-C_7) cycloalkyl, (C_3-C_7) cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C_1-C_{12}) alkoxy, cyclo (C_3-C_7) alkoxy, aryl, aryloxy, aralkyl, ar (C_1-C_{12}) alkoxy, heterocyclyl, heteroaryl, heterocyclyl (C_3-C_7) alkyl, heteroar (C_1-C_{12}) alkyl, heteroaryloxy, heteroar (C_1-C_{12}) alkoxy, heterocyclyloxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxy carbonyl, aralkoxycarbonyl, heterocycloalkoxycarbonyl, heteroaryloxy carbonyl, heteroaralkoxycarbonyl, heterocyclyloxy carbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C_1-C_{12}) alkylthio, thio (C_1-C_{12}) alkyl, arylthio, (C_1-C_{12}) alkoxycarbonylamino, aryloxy carbonyl amino, aralkyloxy carbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and its derivatives, sulfonic acid and its derivatives, phosphonic acid and its derivatives; or the adjacent groups R^2 and R^3 together may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8, which comprises,

- a. reacting the compound of formula (Ia) where R^1 , R^2 , R^3 and R^4 are as defined earlier,




with a compound of formula (1l) where all symbols are as defined earlier, to give compound of formula (1e);

b. reacting the compound of general formula (1n) where R^1 , R^2 , R^3 and R^4 are as defined earlier,



with a compound of formula (1p) where all symbols are as defined earlier, to give a compound of formula (1e); and


c. reducing the compound of general formula (1q) wherein R^1 - R^4 are as defined earlier



to give compounds of formula (1e), where W is 0.


44. (Original)

The intermediate described in claim 27, and defined by formula (1f),



wherein one or more groups R^1 , R^2 , R^3 , R^4 may be same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C_1-C_{12}) alkyl, linear or branched (C_2-C_{12}) alkenyl, (C_3-C_7) cycloalkyl, (C_3-C_7) cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C_1-C_{12}) alkoxy, cyclo (C_3-C_7) alkoxy, aryl, aryloxy, aralkyl, ar (C_1-C_{12}) alkoxy, heterocyclyl, heteroaryl, heterocyclyl (C_3-C_7) alkyl, heteroar (C_1-C_{12}) alkyl, heteroaryloxy, heteroar (C_1-C_{12}) alkoxy, heterocyclyloxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, aikoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocycloalkoxycarbonyl, heteroaryloxycarbonyl, heteroaralkoxycarbonyl, heterocyclyloxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C_1-C_{12}) alkylthio, thio (C_1-C_{12}) alkyl, arylthio, (C_1-C_{12}) alkoxycarbonylamino, aryloxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and its derivatives, sulfonic acid and its derivatives, phosphonic acid and its derivatives; or the adjacent groups R^2 and R^3 together may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8;



W represents O, S or NR^9 where R^9 represents hydrogen, (C_1-C_{12}) alkyl or aryl; Ar represents a substituted or unsubstituted divalent single or fused aromatic, heteroaromatic or heterocyclic group; R^5 represents hydrogen, hydroxy, (C_1-C_{12}) alkyl, (C_1-C_{12}) alkoxy, halogen, acyl, substituted or unsubstituted aralkyl group; X represents O or S; R^7 represents hydrogen, perfluoro (C_1-C_{12}) alkyl, substituted or unsubstituted groups selected from (C_1-C_{12}) alkyl,



with an appropriate diazotizing agent.

46. (Original)


A process for the preparation of compound of general formula (1r) where all the symbols are as defined earlier, by reacting the compound of formula (1c) where all symbols are as defined earlier



with a compound of formula (1s), wherein R⁶ is hydrogen atom and all other symbols are as defined earlier to give the compound of formula (1r).

Claim 47 (Newly added) A process for converting an ester of the general formula (I) to a corresponding acid form and preparing a pharmaceutically acceptable salt and/or a pharmaceutically acceptable solvate thereof, comprising carrying out one or more of the following optional steps:

- i. hydrolyzing a compound of formula (I),




their tautomeric forms, their stereoisomers, wherein one or more groups R^1 , R^2 , R^3 , R^4 may be the same or different and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C_1 - C_{12})alkyl, linear or branched (C_2 - C_{12})alkenyl, (C_3 - C_7)cycloalkyl, (C_3 - C_7)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C_1 - C_{12})alkoxy, cyclo(C_3 - C_7)alkoxy, aryl, aryloxy, aralkyl, ar(C_1 - C_{12})alkoxy, heterocyclyl, heteroaryl, heterocyclyl(C_1 - C_{12})alkyl, heteroar(C_1 - C_{12})alkyl, heteroaryloxy, heteroar(C_1 - C_{12})alkoxy, heterocyclyloxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, aralkylamino, alkoxycarbonyl, aryloxy carbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxy carbonyl, heteroaralkoxycarbonyl, heterocyclyloxy carbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl, aryloxyalkyl, aralkoxyalkyl, (C_1 - C_{12})alkylthio, thio(C_1 - C_{12})alkyl, arylthio, (C_1 - C_{12})alkoxycarbonylamino, aryloxy carbonylamino, aralkyloxy carbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, alkyl hydrazino, alkoxyamino, hydroxylamino, derivatives of sulfenyl and sulfonyl groups, carboxylic acid and derivatives of carboxylic acids selected from $CONH_2$, alkylaminocarbonyl, dialkylaminocarbonyl, arylaminocarbonyl; aralkylaminocarbonyl; heteroarylaminocarbonyl and heteroaralkylamino carbonyl groups; heterocyclylaminocarbonyl groups; sulfonic acid and its derivatives selected from SO_2NH_2 ,

cyclo(C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl, heterocyclyl, alkoxyalkyl, aryloxyalkyl, alkoxycarbonyl, aryloxycarbonyl, cycloalkyloxycarbonyl, alkylaminocarbonyl, arylaminocarbonyl, acyl groups; Y represents O or S; Z represents oxygen, sulfur or NR¹⁰, where R¹⁰ represents hydrogen or substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, hydroxy(C₁-C₁₂)alkyl, amino(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl groups; R⁸ represents hydrogen, substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl, heterocyclyl, heterocyclylalkyl, hydroxyalkyl, alkoxyalkyl, alkylaminoalkyl groups; R¹⁰ and R⁸ together may form a 5 or 6 membered substituted or unsubstituted cyclic ring structure containing carbon atoms or containing one or more heteroatoms selected from O, N and S and a process for its preparation and its use in the preparation of β-aryl-α-substituted alkanolic acid derivatives.

45. (Original)

A process for the preparation of the compound of formula (1f) is as defined in claim 44, which comprises



reacting a compound of formula (1r) wherein R⁶ is hydrogen atom and all other symbols are as defined earlier,

SO₂NHMe, SO₂NMe₂, SO₂NHCF₃, SO₂NHCO(C₁-C₆)alkyl, SO₂NHCOaryl groups, phosphonic acid and its derivatives selected from P(O)(OH)₂, P(O)(O C₁-C₆ alkyl)₂, P(O)(O aryl)₂, P(O)(OH)(O C₁-C₆ alkyl) groups; or the adjacent groups R² and R³ together may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, or S; n is an integer ranging from 1 to 8; W represents O, S or NR⁹ where R⁹ represents hydrogen, (C₁-C₁₂)alkyl or aryl; Ar represents a substituted or unsubstituted divalent single or fused aromatic, heteroaromatic or heterocyclic group; R⁵ and R⁶ represent both hydrogen or together represent a bond; R⁵ and R⁶ may also represent a hydroxy, (C₁-C₁₂)alkyl, (C₁-C₁₂)alkoxy, halogen, acyl, substituted or unsubstituted aralkyl group; X represents O or S; R⁷ represents hydrogen, perfluoro(C₁-C₁₂)alkyl, substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, cyclo(C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl, heterocyclyl, alkoxyalkyl, aryloxyalkyl, alkoxycarbonyl, aryloxy carbonyl, cycloalkyloxycarbonyl, alkylaminocarbonyl, arylaminocarbonyl, acyl groups; Y represents O or S; Z represents oxygen, sulfur or NR¹⁰, where R¹⁰ represents hydrogen or substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, hydroxy(C₁-C₁₂)alkyl, amino(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl groups; R⁸ represents hydrogen, substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl, heterocyclyl, heterocyclylalkyl, hydroxyalkyl, alkoxyalkyl, alkylaminoalkyl groups when Z represents sulfur or NR¹⁰; while R⁸ represents substituted or unsubstituted groups selected from (C₁-C₁₂)alkyl, aryl, ar(C₁-C₁₂)alkyl, heteroaryl, heteroar(C₁-C₁₂)alkyl, heterocyclyl, heterocyclylalkyl, hydroxyalkyl, alkoxyalkyl, alkylaminoalkyl groups, when Z represents O; to a corresponding acid of compound of formula (I), where all symbols are as defined earlier and Y & Z represents oxygen and R⁸ represents hydrogen, by reacting the ester with an alkaline hydrolytic reagent comprising LiOH, NaOH,

KOH, or $\text{Ca}(\text{OH})_2$;

and

ii. preparing a pharmaceutically acceptable salt of the acid compound of formula (1) and, optionally, a pharmaceutically acceptable solvate thereof, by reacting Li, Na, K, Ca, Mg, lysine, arginine, guanidine, tromethamine, diethanolamine, choline, ammonium, substituted ammonium or aluminum with a corresponding base of the compound.